

Rittal – The System.

Faster – better – everywhere.

Compact enclosures AE – AE 1213.500

Date : Jun 1, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Spare parts - Compact enclosures AE – AE 1213.500

created: 01.06.2017 on www.rittal.com/com-en



Product description

Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit 3-point lock system
Basic material:	Sheet steel

Product features

Dimensions:	Width: 1000 mm Height: 1200 mm Depth: 300 mm
Material thickness:	Enclosure: 1.5 mm

Door: 2 mm
Mounting plate: 3 mm

Mounting plate:	Width: 940 mm Height: 1155 mm
Number of doors:	2
Lock version:	3-point lock system
Number of locks:	1
Lock insert:	3 mm double-bit
Gland plate, size:	4
Gland plate, qty.:	2
Packs of:	1 pc(s).
Weight/pack:	85 kg
Customs tariff number:	94032080
ETIM 6.0:	EC000261
ETIM 5.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
eCl@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102
Product description (long):	AE Compact enclosure, WHD: 1000x1200x300mm, Sheet steel, with mounting plate, two-door, 3-point lock system

Approvals

Approvals:	Bureau Veritas CSA DNV GL Lloyds Register of Shipping Russian Maritime Register of Shipping TÜV UL + C-UL
Certificates:	EAC

IK-Code
Protection category

Declarations:

Declaration of conformity

2017 © Rittal GmbH & Co. KG